SEQUENCE LISTING

<110> MEINIEL, Annie

MONNERIE, Hubert

GOBRON, Stephane

<120> NOVEL PEPTIDES AND POLYPEPTIDES USEFUL FOR REGENERATING THE NERVOUS SYSTEM

<130> 065691/0179

<140> 09/462,909

<141> 2000-02-14

<150> PCT/FR98/01556

<151> 1998-07-16

<150> FR 97/09016

<151> 1997-07-16

<160> 24

<170> PatentIn version 3.0

<210> 1

<211> 8

<212> PRT

<213> Bovine

1

<220>

<221> VARIANT

<222> (3)..(3)

<223> Xaa can be a sequence comprising from 1 to 5 amino acids

<220>

<221> VARIANT

<222> (6)..(6)

<223> Xaa can be a sequence comprising from 1 to 5 amino acids

<400> 1

Trp Ser Xaa Cys Ser Xaa Cys Gly
1   5

<210> 2

<211> 9

<212> PRT

<213> Bovine

<400> 2

Trp Ser Pro Cys Ser Val Thr Cys Gly
1   5

<210> 3

<211> 9

<212> PRT

<213> Bovine

<400> 3

Trp Ser Ser Cys Ser Val Thr Cys Gly
1   5

<210> 4

<211> 9

2

<212> PRT

<213> Bovine

<400> 4

Trp Ser Gln Cys Ser Val Thr Cys Gly
1   5

<210> 5

<211> 4

<212> PRT

<213> Bovine

<220>

<221> VARIANT

<222> (1)..(1)

<223> Xaa can be Gly, Ser or Cys

<220>

<221> VARIANT

<222> (3)..(3)

<223> Xaa can be Gly, Ser or Cys

<220>

<221> VARIANT

<222> (4)..(4)

<223> Xaa can be Gly, Ser or Cys

<400> 5

Xaa Trp Xaa Xaa
1

<210> 6

<211> 4

3

<212> PRT

<213> Bovine

<220>

<221> VARIANT
<222> (1)..(1)

<223> Xaa can be Gly, Ser or Cys

<220>

<221> VARIANT

<222> (4)..(4)

<223> Xaa can be Gly, Ser or Cys

<400> 6

Xaa Trp Ser Xaa
1

<210> 7

<211> 11

<212> PRT

<213> Bovine

<220>

<221> VARIANT

<222> (3)..(3)

<223> Xaa can be Gly, Ser or Cys

<220>

<221> VARIANT

<222> (6)..(6)

<223> Xaa can be Gly, Ser or Cys

<220>

4

<221> VARIANT

<222> (9)..(9)

<223> Xaa can be a sequence comprising from 1 to 5 amino acids

<400> 7

Trp Ser Xaa Trp Ser Xaa Cys Ser Xaa Cys Gly
1   5   10

<210> 8

<211> 12

<212> PRT

<213> Bovine

<400> 8

Trp Ser Gly Trp Ser Ser Cys Ser Arg Ser Cys Gly
1   5   10

<210> 9

<211> 10

<212> PRT

<213> Bovine

<220>

<221> VARIANT

<222> (1)..(1)

<223> Xaa is an amino acid chain having less than 6 amino acids, or a
chain of compounds which are not amino acids

<220>

<221> VARIANT

<222> (4)..(4)

<223> Xaa can be Pro or (Gly, Ser or Cys)-Trp-(Gly, Ser or Cys)-(Gly,
Ser or Cys)

5

<220>

<221> VARIANT

<222> (7)..(7)

<223> Xaa can a sequence comprising from 1 to 5 amino acids

<220>

<221> VARIANT

<222> (10)..(10)

<223> Xaa is an amino acid chain having less than 6 amino acids, or a chain of compounds which are not amino acids

<400> 9

Xaa Trp Ser Xaa Cys Ser Xaa Cys Gly Xaa
1   5   10

<210> 10

<211> 36

<212> DNA

<213> Bovine

<220>

<221> Unsure

<222> (6)..(6)

<223> N can be A, C, G or T

<220>

<221> Unsure

<222> (9)..(9)

<223> N can be A, C, G or T

<220>

<221> Unsure

6

<222> (15)..(15)

<223> N can be A, C, G or T

<220>

<221> Unsure

<222> (18)..(18)

<223> N can be A, C, G or T
<220>

<221> Unsure

<222> (24)..(24)

<223> N can be A, C, G or T

<220>

<221> Unsure

<222> (27)..(27)

<223> N can be A, C, G or T

<220>

<221> Unsure

<222> (30)..(30)

<223> N can be A, C, G or T

<220>

<221> Unsure

<222> (36)..(36)

<223> N can be A, C, G or T

<400> 10
tggwsnggnt ggwsnwsntg ywsnmgnwsn tgyggn   36

<210> 11

<211> 9

7

<212> PRT

<213> Bovine

<400> 11

Trp Gly Pro Cys Ser Val Ser Cys Gly
1   5

<210> 12

<211> 8

<212> PRT

<213> Bovine

<400> 12

Asp Cys Lys Asp Gly Ser Asp Glu
1   5

<210> 13

<211> 4

<212> PRT

<213> Bovine

<400> 13

Arg Lys Ala Arg
1

<210> 14

<211> 12

<212> PRT

<213> Bovine

<400> 14

Ser Ser Cys Arg Ser Gly Cys Trp Gly Ser Ser Trp
1   5   10

<210> 15

<211> 23

a5 Cont

<212> PRT

<213> Bovine

<400> 15

Trp Ser Pro Trp Ser Glu Trp Thr Ser Cys Ser Thr Ser Cys Gly Asn
1   5   10   15

Gly Ile Gln Gln Arg Gly Arg
            20

<210> 16

<211> 23

<212> PRT

<213> Bovine

<400> 16

Trp Ser His Trp Ser Pro Trp Ser Ser Cys Ser Val Thr Cys Asp Gly
1   5   10   15

Asp Val Ile Thr Arg Ile Arg
            20

<210> 17

<211> 23

<212> PRT

<213> Bovine

<400> 17

Trp Gly Pro Trp Ser Pro Trp Asp Ile Cys Ser Val Thr Cys Gly Gly
1   5   10   15

Gly Val Gln Lys Arg Ser Arg
            20

<210> 18

<211> 9

<212> PRT

<213> Bovine

<400> 18

Trp Ser Gln Cys Ser Val Tyr Cys Gly
1   5

<210> 19

<211> 22

<212> PRT

<213> Bovine

<400> 19

Thr Glu Trp Ser Ala Cys Ser Lys Ser Cys Gly Met Gly Phe Ser Thr
1   5   10   15

Arg Val Thr Asn Arg Asn
                20

<210> 20

<211> 22

<212> PRT

<213> Bovine

<400> 20

Thr Glu Trp Ser Ala Cys Ser Lys Thr Cys Gly Met Gly Ile Ser Thr
1   5   10   15

Arg Val Thr Asn Asp Asn
                20

<210> 21

<211> 6

<212> PRT

<213> Bovine

<400> 21

Cys Ser Val Thr Cys Gly
1   5

10

```
<210>  22

<211>  4

<212>  PRT

<213>  Bovine


<220>

<221>  VARIANT

<222>  (2)..(2)

<223>  Xaa can be any amino acid


<220>

<221>  VARIANT

<222>  (3)..(3)

<223>  Xaa can be any amino acid


<400>  22

Trp Xaa Xaa Trp
1

<210>  23

<211>  4

<212>  PRT

<213>  Bovine


<220>

<221>  VARIANT

<222>  (3)..(3)

<223>  Xaa can be any amino acid


<400>  23

Asx Asx Xaa Asx
1
```

<210> 24

<211> 5

<212> PRT

<213> Bovine

<220>

<221> VARIANT

<222> (3)..(3)

<223> Xaa can be any amino acid

<400> 24

Trp Ser Xaa Trp Ser
1   5